

DATA SHEET USED MACHINE



(picture shows used machine)

Equipment machine - factory tested:

- STF: Edge finishing polishing module
- stone module 150 mm wide
- without side edge
- 100L water tank
- new touch control panel
- new frequency converter stone motor
- new timing belt dresser
- replacement of all wear parts such as splash protection, feed rings etc.
- drive motors mechanically + electrically tested, insulation test
- pneumatics + control technology in full functionality
- paint / coating repaired
- new customer service

Condition tools:

- dressing diamond: 70 out of 100%
- grinding stone: Ø 290 mm by 300 mm
- tuning disc: 270 mm by 300 mm





Combined stone grinding machine PROFI 1 STF

The PROFI 1 stone grinding machine has an electronically controlled, stepless, maintenance-free special grinding motor with 3.3 kW. With the STF version, you get a base edge finish polishing module instead of the belt grinding station for the superfinishing of the tread edges including the diamond polishing device of the polishing discs.

MACHINE TYPE:	PROFI 1 STF
G-NUMBER:	G1064346
CONSTRUCTION YEAR:	1999
CONDITION:	factory tested

PRICE AND AVAILABILITY ON REQUEST.

Our terms and conditions apply to this offer: <https://www.reichmann.com/en/footer/terms>



(original pictures of the used machine)

TECHNICAL DATA

Dimensions (L x W x H) in mm	1420 x 980 x 1320
Weight in kg	650
Connecting voltage	380–415 V, 50 Hz., 3 PH/N/PE
Connecting power in kW	5.6
Dimensions polishing discs	300 x 55 x 140 mm
Dimensions grinding stone	∅ 300 x 150 mm
Stone speed	stepless
Dressing speed	stepless
Feed speed	stepless
Coolant tank in l	100
Contact pressure feed in kg Stone side	5-35

